

## United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/081,391	02/22/2002	Kofi Dankwa Anim-Appiah	TI-33234	1578	
23494	7590 08/12/2005	·	EXAMINER		
TEXAS INSTRUMENTS INCORPORATED			AMINZAY, SHAIMA Q		
	P O BOX 655474, M/S 3999 DALLAS, TX 75265		ART UNIT	PAPER NUMBER	
,			2684	2684	
				DATE MAILED: 08/12/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)			
	10/081,391	ANIM-APPIAH ET AL.			
Office Action Summary	Examiner	Art Unit			
	Shaima Q. Aminzay	2684			
The MAILING DATE of this communication app Period for Reply	I				
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be timed within the statutory minimum of thirty (30) days will apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONEI	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).			
Status					
1)⊠ Responsive to communication(s) filed on 26 Ju	uly 200 <u>5</u> .				
	·				
,	Since this application is in condition for allowance except for formal matters, prosecution as to the ments is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.				
Disposition of Claims					
5) ☐ Claim(s) is/are allowed. 6) ☑ Claim(s) <u>1-24</u> is/are rejected. 7) ☐ Claim(s) is/are objected to.	4a) Of the above claim(s) is/are withdrawn from consideration.  i) ☐ Claim(s) is/are allowed.  i) ☐ Claim(s) <u>1-24</u> is/are rejected.				
Application Papers					
9) ☐ The specification is objected to by the Examine 10) ☑ The drawing(s) filed on <u>08 April 2002</u> is/are: a) Applicant may not request that any objection to the examine Replacement drawing sheet(s) including the correct 11) ☐ The oath or declaration is objected to by the Ex	☑ accepted or b)☐ objected to I drawing(s) be held in abeyance. See ion is required if the drawing(s) is obj	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign  a) All b) Some * c) None of:  1. Certified copies of the priority documents  2. Certified copies of the priority documents  3. Copies of the certified copies of the priority application from the International Bureau  * See the attached detailed Office action for a list	s have been received. s have been received in Applicati rity documents have been receive u (PCT Rule 17.2(a)).	on No ed in this National Stage			
Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:				

Application/Control Number: 10/081,391

Art Unit: 2684

### **DETAILED ACTION**

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on July 26, 2005 has been entered.

## Claim Objections

Claims 1, 9, 20, 23, and 24 are objected to under 37 CFR 1.75(c) as being improper, the phrase "antennae" in claims 1, 9, 20, 23, and 24 the phrase should be --antennas--. Applicant's correction is required.

# Claim Rejections - 35 USC § 112

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

2. Claim 1 rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter

which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention.

In claim 1, line 3, "the same number, N, of antennae" is not supported in the specification.

## Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action

- (a) Patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- Claims 1-21, and 23-24 are rejected under 35 U.S.C. 103(a) as being unpatentable over Meredith (Meredith et al. U. S. Patent number 5,701,596), and in view of Dam (Dam et al. U. S. Publication number 20010,016,504 A1).

Regarding claim 1, Meredith teaches a wireless communication system (see for example, column 1, lines 13-20, column 3, lines 65-67 continued to column 4, lines 1-4), comprising: a number N of wireless front end units (see for example, Figure 10, "radio channel Unit" one to N), comprising: a number, N, of wireless front end units (see for example, Figure 10, column 2, lines 6-24, lines 55-64,

column 4, lines 1-4, lines 46-57, column 7, line 63, viewing in Figure 10 the number (M => N) of wireless radio channel units (front end units)); the same number, N, of antennae (see for example, Figure 10, column 2, lines 6-24, lines 55-64, column 4, lines 1-4, lines 46-57, column 6, lines 30-43, column 7, line 62, column 9, lines 13-28, lines 59-63, viewing in Figure 10 the number (N) of antennas that can be modify "If it is desired to increase the number of radio channel units or the number of antennas the modular components may be modified accordingly"), and a switching arrangement connected between the N wireless front end units and the N antennas for permitting any of the wireless front end units to be switched into connection with any of the antennas (see for example, Figure 10, column 2, lines 55-64, column 6, lines 30-43, column 7, line 62-63, column 8, line 2, column 9, lines 13-28, lines 59-63, column 10, lines 4-17, the switching arrangement connecting the plurality radios (front end unit) to the plurality of antennas permitting connection with any of the antennas, e.g. 1-pole-N-throw switches with the number "N" can be adjusted accordingly) while also maintaining the remaining wireless front end units connected to [respective ones of] the remaining antenna (see for example, Figure 10, column 3, lines 41-60, as an example connection of the 2 radios and 2 antennas, when the radio of interest is connected to the one of the antennas, the other radio stays connected with the remaining antenna).

Meredith does not specifically teach connected to respective ones of the remaining antenna.

In related art dealing with wireless units switching arrangement and antennas (see for example, paragraph [000], lines 1-5, [0002], lines 1-3, and paragraphs [0014], lines 1-17, and [0015] lines 1-9), Dam teaches the wireless units connected to respective ones of the remaining antenna (see for example, Figure 4, paragraph [0030], lines 1-9, [0032], lines 1-16, [0033], lines 1-18, the antenna array 460 can be connected to any of the radio transmitters (410) and receivers (420) through switches 480 and 490 while maintaining the remaining radios connected to respective antennas).

It would have been obvious to one of ordinary skill in the art at the time invention was made to include Dam's antennas arrangement (see for example, paragraph [0012], lines 4-6, and [0013], lines 1-8) with Meredith's mobile communications interconnection of plurality of radios with plurality of antennas (see for example, column 1, lines 9-10, and lines 13-20) to provide mobile communication system with diversity combination technique for interconnection of plurality of radios with a plurality of antennas (see for example Dam, paragraph [0012], lines 4-6, and [0013], lines 1-8; Meredith column 1, lines 9-10, and lines 13-20), and to provide "the flexibility in operation of the transceiver to more efficiently perform certain transceiver" (Dam, paragraph [0013], lines 6-8).

Regarding claim 2, Meredith in view of Dam teach claim 1, and further

Meredith teaches switching arrangement includes N switches (see for example,

Figure 10, column 8, line 2, switching arrangement include N (M) switches).

Regarding claim 3, Meredith in view of Dam teach claim 1, and further Meredith teaches a controller coupled to the N switches for synchronously controlling the N switches (see for example, column 3, lines 7-31, and lines 49-64).

Regarding claim 4, Meredith in view of Dam teach claim 1, and further Meredith teaches wherein said controller is for switching the N switches simultaneously (see for example, column 3, lines 7-31, and lines 49-64).

Regarding claim 5, Meredith in view of Dam teach claim 1, and further Meredith teaches controller synchronously controls the N switches using a single control signal (see for example, column 3, lines 7-31, and lines 49-64).

Regarding claim 6, Meredith in view of Dam teach claim 1, and further Meredith teaches wherein each of the N switches is a single-pole switch (see for example, column 6, lines 38-43).

Regarding claim 7, Meredith in view of Dam teach claim 1, and further Meredith teaches wherein each of the N switches further includes N contacts (see for example, column 6, lines 35-60, and column 8, line 2, and column 9, lines 59-63, column 10, lines 16-18).

Regarding claim 8, Meredith in view of Dam teach claim 1, and further Meredith teaches wherein each of the N switches is an N-throw switch (see for example, column 6, lines 38-43).

Regarding claim 9, Meredith in view of Dam teach claim 1, and further Dam teaches wherein the N switches are respectively coupled to the N antennas (see for example, Figure 4, paragraph [0030], lines 1-9, [0032], lines 1-16, [0033], lines 1-18).

Regarding claim 10, Meredith in view of Dam teach claim 1, and further Meredith teaches wherein the N switches are each coupled to all of said wireless front end units (see for example, Figure 10, column 2, lines 55-64, column 6, lines 30-43, column 7, line 62-63, column 8, line 2, column 9, lines 13-28, lines 59-63, column 10, lines 4-17).

Regarding claim 11, Meredith in view of Dam teach claim 1, and further Meredith teaches wherein each wireless front end unit is coupled to all of the N switches (see for example, Figure 10, column 2, lines 55-64, column 6, lines 30-43, column 7, line 62-63, column 8, line 2, column 9, lines 13-28, lines 59-63, column 10, lines 4-17).

Regarding claim 12, Meredith in view of Dam teach claim 1, and further Meredith teaches wherein each of the N switches comprises at least one single-pole-double-throw switch (see for example, column 6, lines 38-43, single-pole-N-throw, number N can have a value of double).

Regarding claim 13, Meredith in view of Dam teach claim 1, and further Meredith teaches wherein said switching arrangement includes 2N switches. (see for example, column 6, lines 30-43, in Figure 1A and 1B the controller (267) is connected to 240 and 217).

Regarding claim 14, Meredith in view of Dam teach claim 1, and further Meredith teaches wherein said switching arrangement includes a controller coupled to the 2N switches for synchronously controlling the 2N switches (see for example, column 6, lines 30-43, column 9, lines 13-28).

Regarding claim 15, Meredith in view of Dam teach claim 1, and further Meredith teaches wherein said controller is for switching the 2N switches simultaneously (see for example, column 3, lines 7-31, and lines 49-64).

Regarding claim 16, Meredith in view of Dam teach claim 1, and further

Meredith teaches wherein said controller synchronously controls the N switches
using a single control signal (see for example, column 3, lines 7-31, and lines 49-

64).

Regarding claim 17, Meredith in view of Dam teach claim 1, and further Meredith teaches wherein each of the 2N switches is a single-pole switch (see for example, column 3, lines 7-31, and lines 49-64).

Regarding claim 18, Meredith in view of Dam teach claim 1, and further Meredith teaches wherein each of the 2N switches further includes N contacts. (see for example, column 6, lines 35-60, and column 8, line 2, and column 9, lines 59-63, column 10, and lines 16-18).

Regarding claim 19, Meredith in view of Dam teach claim 1, and further Meredith teaches wherein each of the 2N switches further comprises at least one single-pole-double-throw switch (see for example, column 6, lines 38-43, single-pole-N-throw, number N can have a value of double).

Regarding claim 20, Meredith in view of Dam teach claim 1, and further Meredith teaches a further N of the switches are respectively coupled to the N wireless front end units (see for example, Figure 10, column 2, lines 55-64, column 6, lines 30-43, column 7, line 62-63, column 8, line 2, column 9, lines 13-28, lines 59-63, column 10, lines 4-17), and each of the first N switches are coupled to each of the further N switches (see for example, column 6, lines 35-

60, and column 8, line 2, and column 9, lines 59-63, column 10, lines 16-18).

Regarding claim 21, Meredith in view of Dam teach claim 1, and further Meredith teaches wherein the N wireless front end units are radio front end units (see for example, Figure 10, column 2, lines 6-24, lines 55-64, column 4, lines 1-4, lines 46-57, column 7, line 63, viewing in Figure 10 the number (M => N) of wireless radio channel units (front end units)).

Regarding claim 23, Meredith in view of Dam teach claim 1, and further Meredith teaches wherein said switching arrangement includes a controller for assigning each of the N wireless front end units to a respective one of the N antennas (see for example, Figure 10, column 2, lines 55-64, column 6, lines 30-43, column 7, line 62-63, column 8, line 2, column 9, lines 13-28, lines 59-63, column 10, lines 4-17).

Regarding claim 24, Meredith in view of Dam teach claim 1, and further Dam teaches wherein said switching arrangement includes at least one single-pole switch connected between each of said wireless front end units and each of said antennas (see for example, Figure 10, column 2, lines 55-64, column 6, lines 38-43, column 7, line 62-63, column 8, line 2, column 9, lines 13-28, lines 59-63, column 10, lines 4-17).

Application/Control Number: 10/081,391 Page 11

Art Unit: 2684

4. Claim 22 is rejected under 35 U.S.C. 103(a) as being unpatentable over Meredith (Meredith et al. U. S. Patent number 5,701,596) in view of Dam (Dam et al. U. S. Publication number 2001,001,6504 A1), and further in view of Vaisanen (Vaisanen et al. U. S. Patent number 6,560,443).

Regarding claim 22, Meredith in view of Dam teach claim 21, and further Dam teaches the GSM systems (see for example, paragraph [0029], lines 10-13).

Meredith in view of Dam do not teach the Bluetooth and the standard IEEE 802.11.

Vaisanen teaches the Bluetooth units and the standard IEEE 802.11 (see for example, column 1, lines 8-14, and column 4, lines 43-50).

It would have been obvious to one of ordinary skill in the art at the time invention was made to include Vaisanen's Bluetooth and standard IEEE 802.11 with Dam's and Meredith's communications interconnection of plurality of radios with plurality of antennas to provide mobile communication system with diversity combination technique that shares the "diversity antennas efficiently and as economically as possible" (Vaisanen, column 3, lines 44-46).

## Response to Arguments

5. Applicant's arguments filed July 26, 2005 have been fully considered but they are not persuasive.

The applicant's argued features in the claims, i.e., providing a wireless communication system, comprising: "a switching arrangement connected between the N wireless front end units and the N antennas for permitting any of the wireless front end units to be switched into connection with any of the antennas while also maintaining the remaining wireless front end units connected to respective ones of the remaining antennas in order to optimize diversity transmission or reception quality", and "switching any one of N wireless front end units into connection with any one of N antennas" and "simultaneously maintaining the remaining wireless front end units connected to respective ones of the remaining antennas" and further argues that "including the number N of wireless front end units and the same number N of antennae" to be established read upon Meredith (Meredith et al. U. S. Patent number 5,701,596) in view of Dam (Dam et al. U. S. Publication number 2001,001,6504 A1) as follows.

Meredith disclose a wireless communication system, comprising: a number of wireless radio channel Units and a number of antennas including the transmit filters, buffers, and a switching arrangement of "1-pole-N-Throw" switches connected between the number of wireless radio channel units and the number

of antennas for permitting the wireless radio channel units to be switched into connection with the antennas, and sharing the number of antennas among the number of wireless radio units to optimize diversity transmission or reception quality (see for example, column 1, lines 13-20, column 3, lines 65-67 continued to column 4, lines 1-4, Figure 10, N number of radio channel Units, N antennas including the transmit filters, buffers and "Lossy combiner sum" units, "1-pole-N-Throw" switches, column 10, lines 16-33, column 1, lines 35-43, column 3, lines 41-48), and further, viewing in Figure 10 the number (N) of antennas that can be modify "If it is desired to increase the number of radio channel units or the number of antennas the modular components may be modified accordingly" to obtain the same number of antennas (see for example, Figure 10, column 2, lines 6-24, lines 55-64, column 4, lines 1-4, lines 46-57, column 6, lines 30-43, column 7, line 62, column 9, lines 13-28, lines 59-63). In related art dealing with wireless units switching arrangement and antennas (see for example, paragraph [000], lines 1-5, [0002], lines 1-3, and paragraphs [0014], lines 1-17, and [0015] lines 1-9), Dam teaches the antenna array (460) can be connected to any of the radio transmitters (410) and receivers (420) through switches 480 and 490 while maintaining the remaining radios connected to respective antennas (see for example, Figure 4, paragraph [0030], lines 1-9, [0032], lines 1-16, [0033], lines 1-18).

Meredith and Dam are both analogous to the applicants teaching, that's why

Application/Control Number: 10/081,391 Page 14

Art Unit: 2684

they do obviate.

Therefor, Examiner believes the claims are broad enough to include Dam's antennas arrangements with Meredith's mobile communications interconnection of plurality of radios and plurality of antennas. The rejection is maintained.

#### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Shaima Q. Aminzay whose telephone number is 703-305-8723. The examiner can normally be reached on 7:00 AM -5:00 PM. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nay Maung can be reached on 571-272-7882. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

NAY MAUNG SUPERVISORY PATENT EXAMINER

Shaima Q. Aminzay

(Examiner)

Nay A. Maung

(SPE)

Art Unit 2684

August 7, 2005